



171 Bay Avenue  
07732  
County of Monmouth  
Phone (732)872-1224  
Fax (732)872-0670

## Permit Application for Concrete Replacement or New Construction within the Borough Right-of-Way

### Borough Hall Use Only

Block # \_\_\_\_\_ Lot # \_\_\_\_\_

### Applicant Information

Name \_\_\_\_\_ Date of Application \_\_\_\_\_

Street \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

Phone # \_\_\_\_\_ Fax # \_\_\_\_\_

### Project Information

Street \_\_\_\_\_ City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_

**Type of proposed curb work (21-65D):**                       Replacement     New     None

Curbing shall meet the standards of the NJDOT Standards for Road and Bridge Construction, latest edition. Pavement repair shall be in accordance with the following: Neatly sawcut the pavement three (3) feet from the curbline; pavement restoration shall be five (5) inches of hot mix asphalt base course (NJDOT Mix I-2) and two (2) inches of hot mix asphalt surface course (NJDOT Mix I-5).

**Type of proposed sidewalk work (21-65Q):**                       Replacement     New     None

Sidewalk shall meet the standards of the NJDOT Standards for Road and Bridge Construction, latest edition. Sidewalk shall be four (4) inches thick and constructed from NJDOT Class C concrete (4,500 psi).

**Type of proposed apron work (21-65E, N & Q):**                       Replacement     New     None

Aprons shall meet the standards of the NJDOT Standards for Road and Bridge Construction, latest edition. Aprons shall be six (6) inches thick, welded wire mesh reinforced, and constructed from NJDOT Class C concrete (4,500 psi). Aprons shall be 8'-18' wide (residential), 15'-35' wide (commercial) when measured at the back of the sidewalk and the aprons shall be no closer that two (2) feet from the property line.

Check one:

- This work replaces existing improvements. A schematic diagram of the work (including dimensions) has been provided along with a copy of the property survey.
- This work is a new installation. An engineered grading plan indicated the existing roadway/ property elevations and the proposed improvements with elevations has been provided.

### Borough Hall Use Only

\_\_\_\_\_  Approved     Disapproved    Date \_\_\_\_\_  
*Construction Official*